

ACCESSORIES

TROLLEYS FOR DRY LAUNDRY CS-115/212/365 / CRS-10/20/35/40



CS-115 / 212 / 365

CHARACTERISTICS

CS-115 / 212 / 365:

- Trolley for transporting bulk linen
- White cage construction
- 4 swivel rubber wheels ø 100 mm

CRS-10 / 20 / 35 / 40:

- Bulk linen transport trolleys
- Nylon bag with rope for easy handling
- Foldable epoxy tube structure
- 4 swivel rubber wheels ø 100 mm




CRS-10 / 20 / 35 / 40

TECHNICAL DATA

TROLLEYS FOR DRY LAUNDRY | CS-115/212/365 / CRS-10/20/35/40

	UNIT.	CS-115	CS-212	CS-365
Capacity	l	115	212	365
Wheels Ø	mm	100	100	100
Dimensions	mm	400x600x650	510x800x720	720x960x850
Weight	kg	6	8	12

	UNIT.	CRS-10	CRS-20	CRS-35	CRS-40
Capacity	l	94	195	343	380
Wheels Ø	mm	100	100	100	100
Dimensions	mm	630x450x740	560x760x920	620x900x1080	620x980x1090
Weight	kg	4,5	9	11	14



ACCESSORIES

TROLLEYS FOR DRY LAUNDRY & CLOTHES RACK TROLLEY CSH-3/4 / PM-15/RD



CSH-3 / CSH-4

CHARACTERISTICS

CSH-3/4:

- Service trolley for hotels or nursing homes
- Polypropylene tray construction on steel tubular base
- 3 or 4 trays
- 2 bags on each side
- 4 swivel wheels ø 125 mm

PM-15/RD:

- Mobile rack
- Structure in chromed steel, stackable
- 2 handles
- 4 swivel rubber wheels ø 100 mm




PM-15/RD

TECHNICAL DATA

TROLLEYS FOR DRY LAUNDRY & CLOTHES RACK TROLLEY | CSH-3/4 / PM-15/RD

	UNIT.	CSH-3	CSH-4
Bag capacity	l	77x2	114x2
Trays Nber	Unit	3	4
Wheels Ø	mm	125	125
Dimensions	mm	1190x560x1060	1470x560x1280
Weight	kg	25	30

	UNIT.	PM-15/RD
Usable height	l	1
Wheels Ø	mm	100
Dimensions	mm	1500x530x1500
Weight	kg	5



ACCESSORIES

TROLLEYS FOR WET LAUNDRY CRH-20/40/60 / CH-25/40/60 / CFM - 1/2/3



CRH-20 / 40 / 60



CH-25/40/60



CFM - 1 / 2 / 3

CHARACTERISTICS

CRH-20/40/60:

- White fiberglass container
- Drain tap on 400 and 600 lt models
- 4 swivel wheels ø 100 mm

CH-25/40/60:

- Polyethylene construction on steel base
- Without tap
- 2 fixed and 2 swivel wheels ø 125 mm

CFM - 1 / 2 / 3:

- Anodized aluminium trolley
- Rubber bumpers
- Movable bottom to maintain a constant level of the plate whatever the load
- 2 fixed and 2 swivel wheels ø 100 mm


TECHNICAL DATA

TROLLEYS FOR WET LAUNDRY | CRH-20/40/60 / CH-25/40/60 / CFM - 1/2/3

	UNIT.	CRH-20	CRH-40	CRH-60
Capacity	l	200	400	600
Construction	-	Fiberglass	Fiberglass	Fiberglass
Wheels Ø	mm	100	100	100
Dimensions	mm	560x655x715	550x865x735	700x1000x740
Weight	kg	10	15	24

	UNIT.	CH-25	CH-40	CH-60
Capacity	l	200	400	600
Construction	-	Polyethylene	Polyethylene	Polyethylene
Wheels Ø	mm	100	100	100
Dimensions	mm	645x780x720	760x1100x820	910x1290x900
Weight	kg	15	24	40

	UNIT.	CFM-1	CFM-2	CFM-3
Capacity	l	229	327	478
Construction	-	Anodised aluminium	Anodised aluminium	Anodised aluminium
Wheels Ø	mm	100	100	100
Dimensions	mm	1030x450x800	1030x630x800	1390x675x800
Weight	kg	40	40	50



ACCESSORIES

CAGE TROLLEYS CRE / CRP / CRP-5/6



CRE

CHARACTERISTICS

CRE:

- Special for transportation and storage of linen
- Electro-galvanized steel wire construction
- Two shelves, optional additional shelf
- 2 fixed and 2 swivel wheels $\varnothing$ 100 mm

CRP / CRP-5/6:

- Linen transport trolleys
- Electro-galvanized steel wire construction
- 2 fixed and 2 swivel wheels $\varnothing$ 100 mm/ $\varnothing$ 125 mm
- CRP model with shelf
- CRP model without shelf
- CRP-5/ CRP-6 model with 1 door
- Additional shelves and door available as option



CRP



CRP-5 / CRP-6


TECHNICAL DATA

CAGE TROLLEYS | CRE / CRP / CRP-5/6

	UNIT.	CRE
Capacity	l	1423
Shelves	Unit	Base + 2
Wheels Ø	mm	100
Dimensions	mm	1195x790x1800
Weight	kg	47

	UNIT.	CRP
Capacity	l	888
Shelves	Unit	Base + 1
Door	Unit	Optional
Wheels Ø	mm	100
Dimensions	mm	1800x715x805 mm
Weight	kg	32

	UNIT.	CRP-5	CRP-6
Capacity	l	700	296
Shelves	Unit	Base	Base
Wheels Ø	mm	125	125
Interior dimensions	mm	1710 (with wheels) x 810 x 580 mm	1520 (with wheels) x 715 x 610 mm
Outer dimensions	mm	1480 x 785 x 545 mm	1300 x 685 x 570 mm
Weight	kg	36	32,5



ACCESSORIES

WRAPPING MACHINE BM / BMP / BMT



BM / BMP



BMT

CHARACTERISTICS

BM/BMP:

- Wall or stand mounted wrappers for shirts and trousers
- BM: wall-mounted
- BMP: stand-mounted
- Special for pressing
- Welding length: 600 mm
- Electrical power 166 W
- Manual operation

BMT


- L sealer for garments and terry clothes
- Special for laundry
- Manual and semi automatic operation of the welding arm
- Welding dimensions 700 x 500mm
- Average production per hour 800 units
- Electrical power 332 W

TECHNICAL DATA

WRAPPING MACHINE | BM / BMP /BMT

	UNIT.	BM	BMP
Welding dimension	mm	600	600
Type	-	Wall-mounted	Stand-mounted
Operation	-	Manual	Manual
Electric power	W	166	166
Dimensions	mm	810x300x500	810x300x2000
Tension	V	230V I+N	230V I+N
Weight	kg	37	57

	UNIT.	BMT
Welding dimension	mm	700x500
Type	-	Table
Welding arm	-	Manual
Production	unit./h	800
Electric power	W	332
Dimensions	mm	1500x900x1400
Voltage	V	230 I+N
Weight	kg	76



ACCESSORIES

TROLLEYS FOR DRY LAUNDRY & CLOTHES RACK TROLLEY CSH-3/4 / PM-15/RD



CSH-3 / CSH-4

CHARACTERISTICS

CSH-3/4:

- Service trolley for hotels or nursing homes
- Polypropylene tray construction on steel tubular base
- 3 or 4 trays
- 2 bags on each side
- 4 swivel wheels ø 125 mm

PM-15/RD:

- Mobile rack
- Structure in chromed steel, stackable
- 2 handles
- 4 swivel rubber wheels ø 100 mm



PM-15/RD

TECHNICAL DATA

TROLLEYS FOR DRY LAUNDRY & CLOTHES RACK TROLLEY | CSH-3/4 / PM-15/RD

	UNIT.	CSH-3	CSH-4
Bag capacity	l	77x2	114x2
Trays Nber	Unit	3	4
Wheels Ø	mm	125	125
Dimensions	mm	1190x560x1060	1470x560x1280
Weight	kg	25	30

	UNIT.	PM-15/RD
Usable height	l	1
Wheels Ø	mm	100
Dimensions	mm	1500x530x1500
Weight	kg	5